

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.01.2020

 1.3
 04.02.2020
 660000002367
 Date of first issue: 20.11.2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Colgate Optic White Enamel White Toothpaste

Product code : B05445140004 : 200000050005

Manufacturer or supplier's details

Address : Colgate-Palmolive Pty Ltd., 345 George St, Sydney, New South

Wales, Australia 2000.

Telephone

CONSUMER AFFAIRS: - AU 1800 802 307 (Mon - Fri 7 - 5)

Emergency telephone number : Global-CHEMTREC- +1 703-741-5970

CHEMTREC Australia +(61)-290372994

Recommended use of the chemical and restrictions on use

Recommended use : Dentifrice.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation Category 2

Serious eye damage/eye irri-

tation

Category 2A

GHS label elements

Hazard pictograms



Signal word : Warning

Hazard statements : H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.01.2020

 1.3
 04.02.2020
 660000002367
 Date of first issue: 20.11.2018

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

P337 + P313 If eye irritation persists: Get medical advice/ at-

tention.

P362 Take off contaminated clothing and wash before reuse.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

| Chemical name | CAS-No. | Concentration (% w/w) | |
|--------------------------------|-------------|-----------------------|--|
| Propylene Glycol | 57-55-6 | >= 30 -< 40 | |
| ETHYLENE OXIDE PROPYLENE OXIDE | 9003-11-6 | >= 5 -< 10 | |
| COPOLYMER | | | |
| Glycerin | 56-81-5 | >= 5 -< 10 | |
| Fumed Silica | 112945-52-5 | >= 3 -< 5 | |
| TETRASODIUM PYROPHOSPHATE | 7722-88-5 | >= 1 -< 3 | |
| SODIUM LAURYL SULFATE | 151-21-3 | >= 1 -< 3 | |
| SODIUM MONOFLUOROPHOSPHATE | 7631-97-2 | >= 1 -< 3 | |
| HYDROGEN PEROXIDE | 7722-84-1 | >= 1 -< 3 | |
| L-MENTHOL | 2216-51-5 | >= 1 -< 3 | |
| DISODIUM PYROPHOSPHATE | 7758-16-9 | >= 0.1 -< 1 | |
| ANETHOLE | 104-46-1 | >= 0.1 -< 1 | |
| EUGENOL | 97-53-0 | >= 0.1 -< 1 | |

SECTION 4. FIRST AID MEASURES

General advice : If poisoning occurs, immediately contact a doctor or Poisons

Information Centre (Phone Australia 131126; New Zealand

0800 764 766), and follow the advice given.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 30.01.2020 1.3 04.02.2020 660000002367 Date of first issue: 20.11.2018

Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Administer milk but do not induce vomiting.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Causes skin irritation.

Causes serious eye irritation.

SECTION 5. FIREFIGHTING MEASURES

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

tive equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment.

Environmental precautions Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 30.01.2020 1.3 04.02.2020 660000002367 Date of first issue: 20.11.2018

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis | |
|-------------------|---|-------------------------------------|--|--------|--|
| Propylene Glycol | 57-55-6 | TWA (partic- ulate) | 10 mg/m3 | AU OEL | |
| | | TWA (Total | 150 ppm | AU OEL | |
| | | (vapour and | 474 mg/m3 | | |
| | | particles)) | | | |
| Glycerin | 56-81-5 | TWA (Mist) | 10 mg/m3 | AU OEL | |
| | Further information: This value is for inhalable dust containing no | | | | |
| | asbestos and < 1% crystalline silica | | | | |
| TETRASODIUM | 7722-88-5 | TWA | 5 mg/m3 | AU OEL | |
| PYROPHOSPHATE | | | | | |
| HYDROGEN PEROXIDE | 7722-84-1 | TWA | 1 ppm | AU OEL | |
| | | | 1.4 mg/m3 | | |
| | | TWA | 1 ppm | ACGIH | |

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.01.2020

 1.3
 04.02.2020
 660000002367
 Date of first issue: 20.11.2018

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : white

pH : 8.0

Flash point : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

: No decomposition if stored and applied as directed.

Conditions to avoid : No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.01.2020

 1.3
 04.02.2020
 660000002367
 Date of first issue: 20.11.2018

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Propylene Glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): > 317,042 mg/l

Exposure time: 2 h

Test atmosphere: No information available.

Method: No information available.

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: No information available.

ETHYLENE OXIDE PROPYLENE OXIDE COPOLYMER:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Glycerin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : (Rat, male): > 2.75 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: No information available.

Fumed Silica:

Acute oral toxicity : LD50 (Rat): 3,160 mg/kg

Method: No information available.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

TETRASODIUM PYROPHOSPHATE:

Acute oral toxicity : LD50 (Rat): 1,624 mg/kg

Method: OECD Test Guideline 425



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 30.01.2020 1.3 04.02.2020 660000002367 Date of first issue: 20.11.2018

LC50 (Rabbit): > 0.58 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

LD50 (Rabbit): > 2,000 mg/kg Acute dermal toxicity

Method: OECD Test Guideline 402

SODIUM LAURYL SULFATE:

LD50 (Rat): 977 mg/kg Acute oral toxicity

Method: OECD Test Guideline 401

: Remarks: No data available Acute inhalation toxicity

LD50 (Rabbit): > 2,000 mg/kg Acute dermal toxicity

Method: OECD Test Guideline 402

SODIUM MONOFLUOROPHOSPHATE:

LD50 (Rat): 888 mg/kg Acute oral toxicity

Method: No information available.

LC50 (Rabbit): 1.5 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist Method: Acute toxicity estimate

Acute dermal toxicity LD50 (Rabbit): 1,100 mg/kg

Method: Acute toxicity estimate

HYDROGEN PEROXIDE:

Acute oral toxicity LD50 (Rat): 1,026 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity LC0 (Rat): > 0.17 mg/l

Exposure time: 4 h Test atmosphere: vapour

Remarks: Harmful by inhalation.

Acute dermal toxicity LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

L-MENTHOL:

Acute oral toxicity LD50 (Rat): 3,400 mg/kg

Acute inhalation toxicity Remarks: No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.01.2020

 1.3
 04.02.2020
 660000002367
 Date of first issue: 20.11.2018

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: No information available.

DISODIUM PYROPHOSPHATE:

Acute oral toxicity : LD50 (Mouse): 2,650 mg/kg

Method: No information available.

Acute inhalation toxicity : LC50 (Rabbit): > 0.58 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OPPTS 870.1300

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

ANETHOLE:

Acute oral toxicity : LD50 (Rat): 2,090 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

EUGENOL:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Causes skin irritation.

Components:

Propylene Glycol:

Result : No skin irritation

ETHYLENE OXIDE PROPYLENE OXIDE COPOLYMER:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Glycerin:

Result : No skin irritation

Fumed Silica:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 30.01.2020 1.3 04.02.2020 660000002367 Date of first issue: 20.11.2018

Result : Severe skin irritation

TETRASODIUM PYROPHOSPHATE:

Result : No skin irritation

Remarks : May cause skin irritation in susceptible persons.

SODIUM LAURYL SULFATE:

Result : Severe skin irritation

Remarks : Extremely corrosive and destructive to tissue.

SODIUM MONOFLUOROPHOSPHATE:

Result : Severe skin irritation

Remarks : May cause skin irritation in susceptible persons.

HYDROGEN PEROXIDE:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : Corrosive after 3 minutes or less of exposure

L-MENTHOL:

Result : Irritating to skin.

Remarks : May cause skin irritation in susceptible persons.

DISODIUM PYROPHOSPHATE:

Result : Mild skin irritation

ANETHOLE:

Result : Irritating to skin.

Remarks : May cause skin irritation and/or dermatitis.

EUGENOL:

Result : Mild skin irritation

Remarks : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Causes serious eye irritation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.01.2020

 1.3
 04.02.2020
 660000002367
 Date of first issue: 20.11.2018

Components:

Propylene Glycol:

Result : No eye irritation

ETHYLENE OXIDE PROPYLENE OXIDE COPOLYMER:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Glycerin:

Result : No eye irritation

Fumed Silica:

Result : Irritation to eyes, reversing within 21 days

TETRASODIUM PYROPHOSPHATE:

Result : Irritation to eyes, reversing within 21 days

Remarks : May cause irreversible eye damage.

SODIUM LAURYL SULFATE:

Result : Irreversible effects on the eye

Remarks : May cause irreversible eye damage.

SODIUM MONOFLUOROPHOSPHATE:

Result : Irritation to eyes, reversing within 21 days

Remarks : May cause irreversible eye damage.

HYDROGEN PEROXIDE:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

L-MENTHOL:

Result : Irritation to eyes, reversing within 21 days

Remarks : May cause irreversible eye damage.

DISODIUM PYROPHOSPHATE:

Result : Irritation to eyes, reversing within 21 days



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 30.01.2020 1.3 04.02.2020 660000002367 Date of first issue: 20.11.2018

ANETHOLE:

Remarks : No data available

Remarks : Vapours may cause irritation to the eyes, respiratory system

and the skin.

EUGENOL:

Result : Irritation to eyes, reversing within 21 days

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Propylene Glycol:

Exposure routes : Inhalation

Remarks : No data available

Dermal

Result : Does not cause skin sensitisation.

ETHYLENE OXIDE PROPYLENE OXIDE COPOLYMER:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Dermal

Species : Guinea pig

Method : OECD Test Guideline 406

Does not cause skin sensitisation.

Glycerin:

Exposure routes : Inhalation

Remarks : No data available

: Dermal

Result : Does not cause skin sensitisation.

Fumed Silica:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.01.2020

 1.3
 04.02.2020
 660000002367
 Date of first issue: 20.11.2018

Dermal

: Does not cause skin sensitisation.

TETRASODIUM PYROPHOSPHATE:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

: Dermal

Does not cause skin sensitisation.

SODIUM LAURYL SULFATE:

Exposure routes : Inhalation

Remarks : No data available

Dermal

Result : Does not cause skin sensitisation.

SODIUM MONOFLUOROPHOSPHATE:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Dermal

: Does not cause skin sensitisation.

HYDROGEN PEROXIDE:

Exposure routes : Dermal Species : Guinea pig

Result : Does not cause skin sensitisation.

inhalation (vapour)

Mouse

Does not cause respiratory sensitisation.

L-MENTHOL:

Exposure routes : Inhalation

Remarks : No data available

Dermal

Result : Does not cause skin sensitisation.

DISODIUM PYROPHOSPHATE:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Dermal

: Does not cause skin sensitisation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.01.2020

 1.3
 04.02.2020
 660000002367
 Date of first issue: 20.11.2018

ANETHOLE:

Exposure routes : Inhalation

Remarks : No data available

: Dermal

Result : May cause sensitisation by skin contact.

Remarks : Causes sensitisation.

EUGENOL:

Exposure routes : Inhalation

Remarks : No data available

Dermal

Result : May cause sensitisation by skin contact.

Remarks : Causes sensitisation.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

Components:

HYDROGEN PEROXIDE:

Exposure routes : Inhalation

Target Organs : Respiratory system

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : This product has not been tested as a whole. However, this

formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.3

Revision Date: 04.02.2020

SDS Number: 660000002367

Date of last issue: 30.01.2020 Date of first issue: 20.11.2018

determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the

statements in Section 2 of the SDS.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Propylene Glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 18,880 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 19,000

mg/

Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

No data available:

ETHYLENE OXIDE PROPYLENE OXIDE COPOLYMER:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Scenedesmus capricornutum (fresh water algae)): >

100 mg/l

Exposure time: 72 h Test Type: static test

Toxicity to fish (Chronic tox-

icity)

No data available:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

1.3 04.02.2020 SDS Number: 660000002367 Date of last issue: 30.01.2020 Date of first issue: 20.11.2018

Toxicity to daphnia and other : aquatic invertebrates (Chron-

Revision Date:

ic toxicity)

No data available:

Glycerin:

Version

Toxicity to fish LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna Straus): > 10,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

Remarks: No data available

Fumed Silica:

(Brachydanio rerio (zebrafish)): > 10,000 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to fish (Chronic tox-

No data available:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

No data available:

TETRASODIUM PYROPHOSPHATE:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

No data available:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.3

Revision Date: 04.02.2020

SDS Number: 660000002367 Date of last issue: 30.01.2020 Date of first issue: 20.11.2018

SODIUM LAURYL SULFATE:

LC50 (Oncorhynchus mykiss (rainbow trout)): 4.62 mg/l Toxicity to fish

> Exposure time: 96 h Method: static test Remarks: mortality

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 3.15 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

LC50 (Chlamydomonas reinhardtii (green algae)): 18.8 mg/l

Exposure time: 72 h

SODIUM MONOFLUOROPHOSPHATE:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): > 100 mg/l

Exposure time: 48 h

HYDROGEN PEROXIDE:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 16.4 mg/l

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia pulex (Water flea)): 2.4 mg/l

Exposure time: 24 h

Toxicity to algae/aquatic

plants

NOEC (Marine Diatom): 0.63 mg/l

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.63 mg/l

L-MENTHOL:

LC50 (Brachydanio rerio (zebrafish)): 15.6 mg/l Toxicity to fish

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna Straus): 26.6 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 20 mg/l

Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

No data available:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.01.2020

 1.3
 04.02.2020
 660000002367
 Date of first issue: 20.11.2018

ic toxicity)

DISODIUM PYROPHOSPHATE:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 840 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

No data available:

ANETHOLE:

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia magna (Water flea)): 5 mg/l

Exposure time: 48 h

EUGENOL:

Toxicity to fish : LC50 (Fish): > 1 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 1.05 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 1 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

No data available:

Persistence and degradability

Components:

Propylene Glycol:

Biodegradability : Result: Readily biodegradable.

ETHYLENE OXIDE PROPYLENE OXIDE COPOLYMER:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.01.2020

 1.3
 04.02.2020
 660000002367
 Date of first issue: 20.11.2018

Biodegradability : Result: Not readily biodegradable.

Glycerin:

Biodegradability : Result: Readily biodegradable.

Fumed Silica:

Biodegradability : Result: Readily biodegradable.

TETRASODIUM PYROPHOSPHATE:

Biodegradability : Remarks: Not applicable

SODIUM LAURYL SULFATE:

Biodegradability : Result: Readily biodegradable.

HYDROGEN PEROXIDE:

Biodegradability : Remarks: Not applicable

L-MENTHOL:

Biodegradability : Result: Readily biodegradable.

DISODIUM PYROPHOSPHATE:

Biodegradability : Remarks: Not applicable

ANETHOLE:

Biodegradability : Result: Not readily biodegradable.

EUGENOL:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

Propylene Glycol:

Bioaccumulation : Bioconcentration factor (BCF): < 100

ETHYLENE OXIDE PROPYLENE OXIDE COPOLYMER:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

: Remarks: No data available

Glycerin:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.01.2020

 1.3
 04.02.2020
 660000002367
 Date of first issue: 20.11.2018

Bioaccumulation : Remarks: No data available

Fumed Silica:

Bioaccumulation : Bioconcentration factor (BCF): 3.16

Partition coefficient: n-

octanol/water

log Pow: 0.53

TETRASODIUM PYROPHOSPHATE:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

: Remarks: No data available

HYDROGEN PEROXIDE:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

log Pow: -1.57

L-MENTHOL:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

log Pow: 3.13

DISODIUM PYROPHOSPHATE:

Bioaccumulation : Bioconcentration factor (BCF): 3.16

Partition coefficient: n-

octanol/water

log Pow: -6.77

EUGENOL:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

: log Pow: 2.73

Mobility in soil

No data available

Other adverse effects

Components:

Propylene Glycol:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.01.2020

 1.3
 04.02.2020
 660000002367
 Date of first issue: 20.11.2018

Additional ecological infor-

mation

No data available

ETHYLENE OXIDE PROPYLENE OXIDE COPOLYMER:

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

Glycerin:

Additional ecological infor-

mation

No data available

TETRASODIUM PYROPHOSPHATE:

Additional ecological infor-

mation

: No data available

SODIUM MONOFLUOROPHOSPHATE:

Additional ecological infor-

mation

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

ADG (Australian Dangerous

Goods) 7.6

Not regulated.

NZS (New Zealand's Standards) :

5433

Not regulated.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.01.2020

 1.3
 04.02.2020
 660000002367
 Date of first issue: 20.11.2018

IATA :

Not regulated.

IMDG :

Not regulated.

ADR :

Not regulated.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and

No poison schedule number allocated

Poisons

Prohibition/Licensing Requirements : There is no applicable prohibition or

notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory

legislation.

The components of this product are reported in the following inventories:

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date : 04.02.2020

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 30.01.2020 1.3 04.02.2020 660000002367 Date of first issue: 20.11.2018

taminants.

ACGIH / TWA : 8-hour, time-weighted average

AU OEL / TWA : Exposure standard - time weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN